Patent claims

1. Synergistic fungicidal active compound combinations, comprising a carboxamide of the general formula (I) (group 1)

$$A \xrightarrow{N} H_{3} C \xrightarrow{CH_{3}} CH_{3}$$
 (I)

in which

R¹ represents hydrogen, halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

A represents one of the radicals A1 to A8 below:

10

15

25

5

R² represents C₁-C₃-alkyl,

R³ represents hydrogen, halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R⁴ represents hydrogen, halogen or C₁-C₃-alkyl,

R⁵ represents halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R⁶ represents hydrogen, halogen, C₁-C₃-alkyl, amino, mono- or di(C₁-C₃-alkyl)amino,

R⁷ represents hydrogen, halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

20 R⁸ represents halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R⁹ represents halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R¹⁰ represents hydrogen, halogen, C₁-C₃-alkyl or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

and at least one active compound selected from groups (2) to (24) below:

Group (2) Strobilurins of the general formula (II)

in which

5

10

15

A¹ represents one of the groups

A² represents NH or O,

A³ represents N or CH,

L represents one of the groups

where the bond marked with an asterisk (*) is attached to the phenyl ring,

R¹¹ represents phenyl, phenoxy or pyridinyl, each of which is optionally mono- or disubstituted by identical or different substituents from the group consisting of chlorine, cyano, methyl and trifluoromethyl, or represents 1-(4-chlorophenyl)-pyrazol-3-yl or represents 1,2-propanedione-bis(O-methyloxime)-1-yl,

R¹² represents hydrogen or fluorine;

Group (3) Triazoles of the general formula (III)

$$R^{13} \xrightarrow{R^{14}} R^{15}$$

$$A^{4} \xrightarrow{A^{5} - R^{16}} (CH_{2})_{m}$$

$$Q \xrightarrow{N} N$$
(III)

in which

20 Q represents hydrogen or SH,

m represents 0 or 1,

R¹³ represents hydrogen, fluorine, chlorine, phenyl or 4-chlorophenoxy,

R¹⁴ represents hydrogen or chlorine,

A⁴ represents a direct bond, -CH₂-, -(CH₂)₂- or -O-,

- furthermore represents *-CH₂-CHR¹⁷- or *-CH=CR¹⁷-, where the bond marked with * is attached to the phenyl ring, in which case R¹⁵ and R¹⁷ together represent -CH₂-CH₂-CH[CH(CH₃)₂]- or -CH₂-CH₂-C(CH₃)₂-,
- A⁵ represents C or Si (silicon),
- A⁴ further represents -N(R¹⁷)- and A⁵ furthermore together with R¹⁵ and R¹⁶ represents the group C=N-R¹⁸, in which case R¹⁷ and R¹⁸ together represent the group

- R¹⁵ represents hydrogen, hydroxyl or cyano,
- R¹⁶ represents 1-cyclopropylethyl, 1-chlorocyclopropyl, C₁-C₄-alkyl, C₁-C₆-hydroxyalkyl, C₁-C₄-alkylcarbonyl, C₁-C₂-haloalkoxy-C₁-C₂-alkyl, trimethylsilyl-C₁-C₂-alkyl, monofluorophenyl or phenyl,
 - R¹⁵ and R¹⁶ furthermore together represent -O-CH₂-CH(R¹⁸)-O-, -O-CH₂-CH(R¹⁸)-CH₂-, or -O-CH-(2-chlorophenyl)-,
 - R¹⁸ represents hydrogen, C₁-C₄-alkyl or bromine;

Group (4) Sulphenamides of the general formula (IV)

$$\begin{array}{c} \text{FCl}_2\text{C},\\ \\ \text{R}^{19} \\ \\ \text{H}_3\text{C} - \text{N} \\ \\ \text{CH}_3 \end{array} \qquad \text{(IV)}$$

in which R¹⁹ represents hydrogen or methyl;

20 Group (5) Valinamides selected from

- (5-1) iprovalicarb
- (5-2) N^{1} -[2-(4-{[3-(4-chlorophenyl)-2-propynyl]oxy}-3-methoxyphenyl)ethyl]- N^{2} (methylsulphonyl)-D-valinamide
- (5-3) benthiavalicarb

25 Group (6) Carboxamides of the general formula (V)

$$x \downarrow_{N} Y_{z}$$
 (V

in which

X represents 2-chloro-3-pyridinyl, represents 1-methylpyrazol-4-yl which is substituted in the 3-position by methyl or trifluoromethyl and in the 5-position by hydrogen or

10

15

5

chlorine, represents 4-ethyl-2-ethylamino-1,3-thiazol-5-yl, represents 1-methyl-cyclohexyl, represents 2,2-dichloro-1-ethyl-3-methylcyclopropyl, represents 2-fluoro-2-propyl or represents phenyl which is mono- to trisubstituted by identical or different substituents from the group consisting of chlorine and methyl,

- 5 X furthermore represents 3,4-dichloroisothiazol-5-yl, 5,6-dihydro-2-methyl-1,4-oxa-thiin-3-yl, 4-methyl-1,2,3-thiadiazol-5-yl, 4,5-dimethyl-2-trimethylsilylthiophen-3-yl, 1-methylpyrrol-3-yl which is substituted in the 4-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine,
 - Y represents a direct bond, C₁-C₆-alkanediyl (alkylene) which is optionally substituted by chlorine, cyano or oxo or represents thiophenediyl,
 - Y furthermore represents C₂-C₆-alkenediyl (alkenylene),
 - Z represents hydrogen or the group

$$R^{20}$$
 R^{21}

- Z furthermore represents C_1 - C_6 -alkyl,
- 15 A⁶ represents CH or N,

. 10

25

- R²⁰ represents hydrogen, chlorine, phenyl which is optionally mono- or disubstituted by identical or different substituents from the group consisting of chlorine and di(C₁-C₃-alkyl)aminocarbonyl,
- R²⁰ furthermore represents cyano or C₁-C₆-alkyl,
- 20 R²¹ represents hydrogen or chlorine,
 - R²² represents hydrogen, chlorine, hydroxyl, methyl or trifluoromethyl,
 - R²² furthermore represents di(C₁-C₃-alkyl)aminocarbonyl,
 - R²⁰ and R²¹ furthermore together represent *-CH(CH₃)-CH₂-C(CH₃)₂- or *-CH(CH₃)-O-C(CH₃)₂- where the bond marked with * is attached to R²⁰;

Group (7) Dithiocarbamates selected from

- (7-1) mancozeb
- (7-2) maneb
- (7-3) metiram
- 30 (7-4) propineb
 - (7-5) thiram
 - (7-6) zineb
 - (7-7) ziram

Group (8) Acylalanines of the general formula (VI)

in which

* marks a carbon atom in the R or the S configuration, preferably in the S configuration,

R²³ represents benzyl, furyl or methoxymethyl;

Group (9): Anilinopyrimidines of the general formula (VII)

$$\begin{array}{c|c}
H & N & R^{24} \\
\hline
CH_3 & (VII)
\end{array}$$

in which

. 5

R²⁴ represents methyl, cyclopropyl or 1-propynyl;

Group (10): Benzimidazoles of the general formula (VIII)

$$R^{26} \longrightarrow N \qquad (VIII)$$

in which

20

R²⁵ and R²⁶ each represent hydrogen or together represent -O-CF₂-O-,

R²⁷ represents hydrogen, C₁-C₄-alkylaminocarbonyl or represents 3,5-dimethylisoxazol-4-ylsulphonyl,

R²⁸ represents chlorine, methoxycarbonylamino, chlorophenyl, furyl or thiazolyl;

Group (11): Carbamates of the general formula (IX)

$$R^{29} \bigcirc \bigcap_{N} R^{30}$$
 (IX

in which

R²⁹ represents n- or isopropyl,

25 R³⁰ represents di(C₁-C₂-alkyl)amino-C₂-C₄-alkyl or diethoxyphenyl,

salts of these compounds being included;

Group (12): Dicarboximides selected from

- (12-1) captafol
- (12-2) captan
 - (12-3) folpet
 - (12-4) iprodione
 - (12-5) procymidone
 - (12-6) vinclozolin

10

5

Group (13): Guanidines selected from

- (13-1) dodine
- (13-2) guazatine
- (13-3) iminoctadine triacetate
- 15 (13-4) iminoctadine tris(albesilate)

Group (14): Imidazoles selected from

- (14-1) cyazofamid
- (14-2) prochloraz
- 20 (14-3) triazoxide
 - (14-4) pefurazoate

Group (15): Morpholines of the general formula (X)

$$R^{32}$$
 $N-R^{33}$
 (X)

25 in which

30

R³¹ and R³² independently of one another represent hydrogen or methyl,

R³³ represents C₁-C₁₄-alkyl (preferably C₁₂-C₁₄-alkyl), C₅-C₁₂-cycloalkyl (preferably C₁₀-C₁₂-cycloalkyl), phenyl-C₁-C₄-alkyl, which may be substituted in the phenyl moiety by halogen or C₁-C₄-alkyl or represents acrylyl which is substituted by chlorophenyl and dimethoxyphenyl;

Group (16): Pyrroles of the general formula (XI)

$$\begin{array}{c} R^{35} \\ R^{36} \\ R^{34} \end{array} \qquad (XI)$$

in which

5

20

25

R³⁴ represents chlorine or cyano,

R³⁵ represents chlorine or nitro,

R³⁶ represents chlorine,

 R^{35} and R^{36} furthermore together represent -O-CF2-O-;

Group (17): Phosphonates selected from

(17-1) fosetyl-Al

10 (17-2) phosphonic acid;

Group (18): Phenylethanamides of the general formula (XII)

in which

15 R³⁷ represents unsubstituted or fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted phenyl, 2-naphthyl, 1,2,3,4-tetrahydronaphthyl or indanyl;

Group (19): Fungicides selected from

(19-1) acibenzolar-S-methyl

(19-2) chlorothalonil

(19-3) cymoxanil

(19-4) edifenphos

(19-5) famoxadone

(19-6) fluazinam

(19-7) copper oxychloride

(19-8) copper hydroxide

(19-9) oxadixyl

(19-10) spiroxamine

(19-11) dithianon

30 (19-12) metrafenone

(19-13) fenamidone

(19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one

(19-15) probenazole

(19-16) isoprothiolane

(19-17) kasugamycin

(19-18) phthalide

5

(19-19) ferimzone

(19-20) tricyclazole

(19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide

10 (19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide

Group (20): (Thio)urea derivatives selected from

(20-1) pencycuron

15 (20-2) thiophanate-methyl

(20-3) thiophanate-ethyl

Group (21): Amides of the general formula (XIII)

20 in which

25

A⁷ represents a direct bond or -O-,

A⁸ represents -C(=O)NH- or -NHC(=O)-,

R³⁸ represents hydrogen or C₁-C₄-alkyl,

R³⁹ represents C₁-C₆-alkyl;

Group (22): Triazolopyrimidines of the general formula (XIV)

in which.

R⁴⁰ represents C₁-C₆-alkyl or C₂-C₆-alkenyl,

30 R⁴¹ represents C₁-C₆-alkyl,

 R^{40} and R^{41} furthermore together represent C_4 - C_5 -alkanediyl (alkylene) which is mono- or disubstituted by C_1 - C_6 -alkyl,

R⁴² represents bromine or chlorine,

 R^{43} and R^{47} independently of one another represent hydrogen, fluorine, chlorine or methyl,

 R^{44} and R^{46} independently of one another represent hydrogen or fluorine,

R⁴⁵ represents hydrogen, fluorine or methyl,

Group (23): Iodochromones of the general formula (XV)

in which

5

R⁴⁸ represents C₁-C₆-alkyl,

 R^{49} represents C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl or C_2 - C_6 -alkynyl;

Group (24): Biphenylcarboxamides of the general formula (XVI)

in which

R⁵⁰ represents hydrogen or fluorine,

R⁵¹ represents fluorine, chlorine, bromine, methyl, trifluoromethyl, trifluoromethoxy, -CH=N-OMe or -C(Me)=N-OMe,

20 R⁵² represents hydrogen, fluorine, chlorine, bromine, methyl or trifluoromethyl,

Het represents one of the radicals Het1 to Het7 below:

5

$$\begin{array}{c|cccc}
S & R^{57} & \\
O & R^{57} & CH_3 & \\
Het5 & Het6 & Het7
\end{array}$$

R⁵³ represents iodine, methyl, difluoromethyl or trifluoromethyl,


R⁵⁴ represents hydrogen, fluorine, chlorine or methyl,

R⁵⁵ represents methyl, difluoromethyl or trifluoromethyl,

R⁵⁶ represents chlorine, bromine, iodine, methyl, difluoromethyl or trifluoromethyl,

R⁵⁷ represents methyl or trifluoromethyl.

- 2. Active compound combinations according to Claim 1, comprising a carboxamide of the general formula (I) according to Claim 1 (group 1) in which
- 10 R¹ represents hydrogen, fluorine, chlorine, methyl, ethyl, n-, isopropyl, monofluoromethyl, difluoromethyl, trifluoromethyl, monochloromethyl, dichloromethyl or trichloromethyl,
 - A represents one of the radicals A1 to A5 below:



- 15 R² represents methyl, ethyl, n- or isopropyl,
 - R³ represents iodine, methyl, difluoromethyl or trifluoromethyl,
 - R⁴ represents hydrogen, fluorine, chlorine or methyl,
 - R⁵ represents chlorine, bromine, iodine, methyl, difluoromethyl or trifluoromethyl,
 - R⁶ represents hydrogen, chlorine, methyl, amino or dimethylamino,
- 20 R⁷ represents methyl, difluoromethyl or trifluoromethyl,
 - R⁸ represents bromine or methyl,
 - R⁹ represents methyl or trifluoromethyl.
- 3. Active compound combinations according to Claim 1, where the active compounds of groups(2) to (24) are selected from the list below:
 - (2-1) azoxystrobin
 - (2-2) fluoxastrobin
 - (2-3) (2E)-2-(2-{[6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy}phenyl)-2-(methoxyimino)-N-methylethanamide

	(2-4)	trifloxystrobin
	(2-5)	$(2E)$ -2-(methoxyimino)-N-methyl-2- $(2-\{[(\{(1E)-1-[3-(trifluoromethyl)-(2E)-1-[3-(tri$
		phenyl]ethyliden}amino)oxy]methyl}phenyl)ethanamide
	(2-6)	$(2E)$ -2-(methoxyimino)-N-methyl-2- $\{2-[(E)-(\{1-[3-(trifluoromethyl)phenyl]-(2E)-(2E)-(2E)-(2E)-(2E)-(2E)-(2E)-(2E)$
5		ethoxy}imino)methyl]phenyl}ethanamide
	(2-7)	orysastrobin
	(2-8)	$5-methoxy-2-methyl-4-(2-\{[(\{(1E)-1-[3-(trifluoromethyl)phenyl]ethyliden\}amino)-(1E)-(1E)-(1E)-(1E)-(1E)-(1E)-(1E)-(1E$
		oxy]methyl}phenyl)-2,4-dihydro-3 <i>H</i> -1,2,4-triazol-3-one
	(2-9)	kresoxim-methyl
10	(2-10)	dimoxystrobin
	(2-11)	picoxystrobin
	(2-12)	pyraclostrobin
	(2-13)	metominostrobin
	(3-1)	azaconazole
15	(3-2)	etaconazole
	(3-3)	propiconazole
	(3-4)	difenoconazole
	(3-5)	bromuconazole
	(3-6)	cyproconazole
20	(3-7)	hexaconazole
	(3-8)	penconazole
	(3-9)	myclobutanil
	(3-10)	tetraconazole
	(3-11)	flutriafol
25	(3-12)	epoxiconazole
	`	flusilazole
		simeconazole
		prothioconazole
		fenbuconazole
30		tebuconazole
	•	ipconazole
		metconazole
		triticonazole
	•	bitertanol
35 .		triadimenol
	(3-23)	triadimefon

	(3-24)	fluquinconazole
	(3-25)	quinconazole
	(4-1)	dichlofluanid
	(4-2)	tolylfluanid
5	(5-1)	iprovalicarb
	(5-3)	benthiavalicarb
	(6-1)	2-chloro-N-(1,1,3-trimethylindan-4-yl)nicotinamide
	(6-2)	boscalid
	(6-3)	furametpyr
10	(6-4)	N-(3-p-tolylthiophen-2-yl)-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxamide
	(6-5)	ethaboxam
	(6-6)	fenhexamid
	(6-7)	carpropamid
	(6-8)	2-chloro-4-(2-fluoro-2-methylpropionylamino)-N,N-dimethylbenzamide
15	(6-9)	picobenzamid
	(6-10)	zoxamide
	(6-11)	3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide
	(6-12)	carboxin
	(6-13)	tiadinil
20	(6-14)	penthiopyrad .
	(6-15)	silthiofam
	(6-16)	N-[2-(1,3-dimethylbutyl)phenyl]-1-methyl-4-(trifluoromethyl)-1H-pyrrole-3-
		carboxamide
	(7-1)	mancozeb
25	(7-2)	maneb
	(7-3)	metiram
	(7-4)	propineb
	(7-5)	thiram
	(7-6)	zineb
30	(7-7)	ziram
	(8-1)	benalaxyl
	(8-2)	furalaxyl
	(8-3)	metalaxyl
	(8-4)	metalaxyl-M
35	(8-5)	benalaxyl-M
	(9-1)	cyprodinil

	(9-2)	mepanipyrim
	(9-3)	pyrimethanil
	(10-1)	6-chloro-5-[(3,5-dimethylisoxazol-4-yl)sulphonyl]-2,2-difluoro-5H-
		[1,3]dioxolo[4,5-f]benzimidazole
5	(10-2)	benomyl
	(10-3)	carbendazim
	(10-4)	chlorfenazole
	(10-5)	fuberidazole
•	(10-6)	thiabendazole
10	(11-1)	diethofencarb
	(11-2)	propamocarb
	(11-3)	propamocarb-hydrochloride
	(11-4)	propamocarb-fosetyl
	(12-1)	captafol
15	(12-2)	captan
	(12-3)	folpet
	(12-4)	iprodione
	(12-5)	procymidone
	(12-6)	vinclozolin
20	(13-1)	dodine
	(13-2)	guazatine
	(13-3)	iminoctadine triacetate
	(14-1)	cyazofamid
	(14-2)	prochloraz
25	(14-3)	triazoxide
	(14-4)	pefurazoate
	(15-1)	aldimorph
	(15-2)	tridemorph
	(15-3)	dodemorph
30	(15-4)	fenpropimorph
	(15-5)	dimethomorph
	(16-1)	fenpiclonil
	(16-2)	fludioxonil
	(16-3)	pyrrolnitrin
35	(17-1)	fosetyl-Al
	(17-2)	phosphonic acid

	(18-1) 2-(2,3-dihydro-1H-inden-5-yl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide
	(18-2) N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-2-(5,6,7,8-tetrahydro-
5	naphthalen-2-yl)acetamide
5	(18-3) 2-(4-chlorophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(18-4) 2-(4-bromophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(18-5) 2-(4-methylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(18-6) 2-(4-ethylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(19-1) acibenzolar-S-methyl
10	(19-2) chlorothalonil
	(19-3) cymoxanil
	(19-4) edifenphos
	(19-5) famoxadone
	(19-6) fluazinam
15	(19-7) copper oxychloride
	(19-9) oxadixyl
	(19-10) spiroxamine
	(19-11) dithianon
	(19-12) metrafenone
20	(19-13) fenamidone
	(19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one
	(19-15) probenazole
	(19-16) isoprothiolane
	(19-17) kasugamycin
25	(19-18) phthalide
	(19-19) ferimzone
	(19-20) tricyclazole
	(19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide
	(19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-
30	yn-1-yloxy)acetamide
	(20-1) pencycuron
	(20-2) thiophanate-methyl
	(20-3) thiophanate-ethyl
	(21-1) fenoxanil
35	(21-2) diclocymet
	,

- (22-1) 5-chloro-N-[(1S)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo[1,5-a]pyrimidine-7-amine (22-2) 5-chloro-N-[(1R)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo-[1,5-a]pyrimidine-7-amine 5 . (22-3) 5-chloro-6-(2-chloro-6-fluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo-[1,5-a]pyrimidine (22-4) 5-chloro-6-(2,4,6-trifluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo[1,5-a]pyrimidine (23-1) 2-butoxy-6-iodo-3-propylbenzopyran-4-one 10 (23-2) 2-ethoxy-6-iodo-3-propylbenzopyran-4-one (23-3) 6-iodo-2-propoxy-3-propylbenzopyran-4-one (23-4) 2-but-2-ynyloxy-6-iodo-3-propylbenzopyran-4-one (23-5) 6-iodo-2-(1-methylbutoxy)-3-propylbenzopyran-4-one (23-6) 2-but-3-enyloxy-6-iodobenzopyran-4-one 15 (23-7) 3-butyl-6-iodo-2-isopropoxybenzopyran-4-one (24-1) N-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1Hpyrazole-4-carboxamide (24-2) 3-(difluoromethyl)-N-{3'-fluoro-4'-{(E)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1*H*-pyrazole-4-carboxamide 20 (24-3) 3-(trifluoromethyl)-N-{3'-fluoro-4'-[(E)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1H-pyrazole-4-carboxamide (24-4) N-(3',4'-dichloro-1,1'-biphenyl-2-yl)-5-fluoro-1,3-dimethyl-1H-pyrazole-4carboxamide (24-5) N-(4'-chloro-3'-fluoro-1,1'-biphenyl-2-yl)-2-methyl-4-(trifluoromethyl)-1,3-thiazole-25 5-carboxamide (24-6) N-(4'-chloro-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5carboxamide (24-7) N-(4'-bromo-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5carboxamide 30 (24-8) 4-(difluoromethyl)-2-methyl-N-[4'-(trifluoromethyl)-1,1'-biphenyl-2-yl]-1,3-thiazole-5-carboxamide.
- Active compound combinations according to Claim 1 comprising the carboxamide (1-8) 5-fluoro-1,3-dimethyl-N-[2-(1,3,3-trimethylbutyl)phenyl]-1H-pyrazole-4-carboxamide
 (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 1.

5

10

15

20

35

- 5. Active compound combinations according to Claim 1 comprising the carboxamide (1-8) 5-fluoro-1,3-dimethyl-N-[2-(1,3,3-trimethylbutyl)phenyl]-1*H*-pyrazole-4-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 3.
- 6. Active compound combinations according to Claim 1 comprising the carboxamide (1-2) N-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1H-pyrazole-4-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 1.
- 7. Active compound combinations according to Claim 1 comprising the carboxamide (1-2) N-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1H-pyrazole-4-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 3.
- 8. Active compound combinations according to Claim 1 comprising the carboxamide (1-15)

 N-[2-(1,3-dimethylbutyl)phenyl]-2-(trifluoromethyl)benzamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 1.
- 9. Active compound combinations according to Claim 1 comprising the carboxamide (1-15) N-[2-(1,3-dimethylbutyl)phenyl]-2-(trifluoromethyl)benzamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 3.
- 25 10. Active compound combinations according to Claim 1 comprising the carboxamide (1-13)

 N-[2-(1,3-dimethylbutyl)phenyl]-2-iodobenzamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 1.
- 11. Active compound combinations according to Claim 1 comprising the carboxamide (1-13)

 N-[2-(1,3-dimethylbutyl)phenyl]-2-iodobenzamide (group 1) and at least one active compound selected from the following groups (2) to (24) according to Claim 3.
 - 12. Use of active compound combinations according to Claim 1 for controlling unwanted phytopathogenic fungi.
 - 13. Use of active compound combinations according to Claim 1 for treating seed.

- 14. Use of active compound combinations according to Claim 1 for treating transgenic plants.
- 15. Use of active compound combinations according to Claim 1 for treating seed of transgenic plants.
 - 16. Seed treated with an active compound combination according to Claim 1.
- 17. Method for controlling unwanted phytopathogenic fungi, characterized in that active compound combinations according to Claim 1 are applied to the unwanted phytopathogenic fungi and/or their habitat and/or seed.
 - 18. Process for preparing fungicidal compositions, characterized in that active compound combinations according to Claim 1 are mixed with extenders and/or surfactants.

15

5